

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## AP-3RT - 20mg



Tested for: Alamo Peptides  
alamopeptides.com

COA #: COA-2026-953860  
Lot Number: AP-RT60-0726  
Labeled Content: 20mg  
Sample Matrix: Lyophilized

Analysis Date: 07/14/2026  
Appearance: Good  
Sample Matrix: Lyophilized  
Vial Size: 3  
Date Received: 07/01/2026

PASS



Scan to verify  
authenticity at ils-lab.com  
Access Code: 8RVHECTM

Method: Purity & Quant (HPLC)

Identity

AP-3RT


Peptide Purity

99.73%

## Purity & Quant (HPLC)

| Analyte               | Specification | Result    | Unit | Status |
|-----------------------|---------------|-----------|------|--------|
| Peptide Purity (HPLC) | >= 95.0%      | 99.73%    | %    | PASS   |
| Net Peptide Content   | Report Only   | 20.87     | mg   | N/A    |
| Identity (HPLC-RTM)   | Retatrutide   | Confirmed | -    | PASS   |

## HPLC Chromatogram



AP-3RT 20mg - AP-RT60-0726: UV Chromatogram

## Notes & Methodology

- Date Tested: 07/14/2026. Methods: Purity & Quant (HPLC).
- The sample was confirmed to be AP-3RT by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



*Handwritten signature*

Dr. Greg Kalyuzhny  
Lab Director  
7/14/2026

COA #: COA-2026-953860  
Access Code: 8RVHECTM  
Verify: <portal.ils-lab.com/verify/QxDqJEJBvda4Wss>  
Issued: 7/14/2026